



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents  
United States Patent and Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

Date: March 24, 2008

John F. McNulty  
Paul & Paul  
2000 Market Street, Suite 2900  
Philadelphia, PA 19103

Patent No: 7278420 B2  
Application No.: 10/666290  
Applicant: Arjunan Ganesh, et al.  
Issued: October 9, 2007  
Title: OROPHARYNGEAL AIRWAY

Request for Certificate of Correction:

Consideration had been given to your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rule 1.322.

Respecting the alleged error in column 4, line 17. The patent is printer in accordance with the record, as passed to issue. Per the examiner *"the correction for column 4 is denied since it involves deleting information that is part of the invention"*.

In view of the foregoing, your request in this matter is hereby **denied**.

A certificate of correction will be issued to correct the remaining error mentioned in your request.

Correspondence concerning this matter should be filed and directed to Decisions and Certificate of Correction Branch.

A handwritten signature in black ink, appearing to read "V. Tolbert", written over a horizontal line.

Virginia Tolbert  
For Mary Diggs, Supervisor  
Decisions and Certificate of Correction  
(703) 305-8309 or 308-9390 ext. 113